
Model: KC-1000 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 45,000 BTU/h
13.2 kW
- Air Flow 1,600 SCFM
2,718 SCMh
- Current Draw 25 Amps @ 13.8 VDC
12.5 Amps @ 27.6 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Heavy Duty Off-Highway Equipment
- Mining Vehicles

Features

- Maximum Power Dual Fan Universal Mount Condenser
- Heavy Duty Steel Construction
- Heavy Duty Tube and Fin Condenser Coil
- Durable Permanent Magnet Motor
- Integrated Receiver Dryer
- Available in 12 or 24 Voltages

Warranty

- 1 year limited warranty parts and labor

Model: KC-1000 Condenser





2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions

• Weight	84 lbs	38.1 kg
• Width	33.3 in	846 mm
• Height	11.6 in	295 mm
• Depth	13.3 in	338 mm



Model: KC-110 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 45,000 BTU/h
13.2 kW
- Air Flow 1,250 SCFM
2,124 SCMh
- Current Draw 110 Amps @ 27.6 VDC
22 Amps @ 13.8 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Heavy Duty Off-Highway Equipment
- Mining Vehicles

Features

- Low Profile Dual Fan Rooftop Condenser
- Heavy Duty Steel Base Construction
- Lightweight Durable High Impact UV Protected Plastic Cover
- Heavy Duty Tube and Fin Condenser Coil
- Durable Permanent Magnet Motor
- (4) Mounting Studs
- Available in 12 or 24 Voltages

Warranty

- 1 year limited warranty parts and labor

Model: KC-110 Condenser






2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions


• Weight	65 lbs	29.5 kg
• Width	42 in	1,067 mm
• Height	7.8 in	198 mm
• Depth	34.2 in	868 mm



Model: KC-200 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 37,000 BTU/h
10.8 kW
- Air Flow 1,000 SCFM
1,700 SCMh
- Current Draw 22 Amps @ 13.8 VDC
11 Amps @ 27.6 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Heavy Duty Off-Highway Equipment
- Mining Vehicles

Features

- Dual Fan Universal Mount Condenser
- Heavy Duty Steel Construction
- Heavy Duty Tube and Fin Condenser Coil
- Durable Permanent Magnet Motor
- Integrated Receiver Dryer
- Quick Release Latches on Cover for Easy Access
- Available in 12 or 24 Voltages


Warranty

- 1 year limited warranty parts and labor

Model: KC-200 Condenser





2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions


• Weight	21 lbs	9.5 kg
• Width	32.5 in	826 mm
• Height	10.5 in	267 mm
• Depth	11.1 in	282 mm



Model: KC-220 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 18,500 BTU/h
5.4 kW
- Air Flow 850 SCFM
1,444 SCMh
- Current Draw 15 Amps @ 14 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Heavy Duty Off-Highway Equipment

Features

- Dual Axial Fan Universal Mount Condenser
- Heavy Duty Steel Construction
- Heavy Duty Tube and Fin Condenser Coil

Warranty

- 1 year limited warranty parts and labor

Model: KC-220 Condenser





2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions

• Weight	22 lbs	10 kg
• Width	25.5 in	648 mm
• Height	12.1 in	307 mm
• Depth	11.3 in	287 mm



Model: KC-3000 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 35,860 BTU/h
10.5 kW/h
- Air Flow 875 SCFM
1,486 SCMH
- Current Draw 12 Amps @ 12 VDC

Applications

- On-Highway Equipment
- Light Off-Highway Equipment

Features

- Low Profile Rooftop Mount Condenser
- Heavy Duty Steel Base Construction
- Lightweight Plastic Cover
- Integrated Receiver Dryer

Warranty

- 1 year limited warranty parts and labor

Model: KC-3000 Condenser






2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions


• Weight	30 lbs	13.6 kg
• Width	35.43 in	900 mm
• Height	5.87 in	149 mm
• Depth	30.71 in	780 mm



Model: KC-440 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 55,000 BTU/h
16.1 kW
- Air Flow 1,900 SCFM
3,228 SCMh
- Current Draw 30 Amps @ 13.8 VDC
15 Amps @ 27.6 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Heavy Duty Off-Highway Equipment
- Mining Vehicles

Features

- Dual Axial Fan Rooftop Condenser
- Heavy Duty Steel Construction
- Heavy Duty Tube and Fin Condenser Coil
- Durable Permanent Magnet Motor
- (4) Mounting Studs
- Integrated Receiver Dryer
- Low Pressure Switch
- Relay
- Available in 12 or 24 Voltages

Warranty

- 1 year limited warranty parts and labor

Model: KC-440 Condenser





2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions

• Weight	68 lbs	30.8 kg
• Width	41.9 in	1,064 mm
• Height	11 in	279 mm
• Depth	21.1 in	536 mm



Model: KC-500 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 30,000 BTU/h
8.8 kW
- Air Flow 740 SCFM
1,257 SCMH
- Current Draw 16 Amps @ 13.8 VDC
8 Amps @ 27.6 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Light Duty Off-Highway Equipment

Features

- Single Fan Universal Mount Condenser
- Heavy Duty Steel Construction
- Heavy Duty Tube and Fin Condenser Coil
- Durable Permanent Magnet Motor
- Quick Release Latches on Cover for easy access
- Available in 12 or 24 Voltages

Warranty

- 1 year limited warranty parts and labor

Model: KC-500 Condenser




2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions

• Weight	42 lbs	19.1 kg
• Width	27.6 in	701 mm
• Height	11.8 in	300 mm
• Depth	13.7 in	348 mm



Model: KC-600 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 19,000 BTU/h
5.6 kW/h
- Air Flow 800 SCFM
1,359 SCMH
- Current Draw 9 Amps @ 14 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Light Duty Off-Highway Equipment

Features

- Dual Axial Fan Universal Mount Condenser
- Heavy Duty Steel Construction
- Heavy Duty Tube and Fin Condenser Coil
- Externally Integrated Receiver Dryer

Warranty

- 1 year limited warranty parts and labor

Model: KC-600 Condenser






2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions

• Weight	20 lbs	9.1 kg
• Width	22 in	559 mm
• Height	14.2 in	361 mm
• Depth	4.4 in	112 mm
with Dryer		
• Depth	7.5 in	191 mm



Model: KC-750 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 32,000 BTU/h
9.4 kW
- Air Flow 1,000 SCFM
1,700 SCMh
- Current Draw 20 Amps @ 12 VDC
10 Amps @ 24 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Heavy Duty Off-Highway Equipment
- Mining Vehicles

Features

- Dual Axial Fan Universal Mount Condenser
- Heavy Duty Steel Construction
- Durable Permanent Magnet Motor
- Heavy Duty Tube and Fin Condenser Coil
- Integrated Receiver Dryer
- 20 Amp Fuse
- Relay
- * Available in 12 or 24 Voltages

Warranty

- 1 year limited warranty parts and labor




Model: KC-750 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com

Weights and Dimensions

• Weight	13 lbs	5.9 kg
• Width	26.2 in	664 mm
• Height	5.8 in	146 mm
• Depth	10.8 in	275 mm



Model: KC-800 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 45,000 BTU/h
13.2 kW
- Air Flow 1,180 SCFM
2,005 SCMh
- Current Draw 25 Amps @ 14 VDC
12.5 Amps @ 28 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Heavy Duty Off-Highway Equipment
- Mining Vehicles

Features

- High Performance Dual Fan Skirt Mount Condenser
- Heavy Duty Steel Construction
- Heavy Duty Tube and Fin Condenser Coil
- Integrated Receiver Dryer
- Durable Permanent Magnet Motor
- Available in 12 or 24 Voltages

Warranty

- 1 year limited warranty parts and labor

Model: KC-800 Condenser




2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions

• Weight	90 lbs	40.8 kg
• Width	38.6 in	981 mm
• Height	11 in	280 mm
• Depth	15.6 in	396 mm



Model: KC-90 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com

ISO 9001
Bergstrom
NATIONALLY REGISTERED



Technical Specifications

- Performance 26,000 BTU/h
7.6 kW
- Air Flow 775 SCFM
1,317 SCMh
- Current Draw 10 Amps @ 13.8 VDC
5 Amps @ 27.6 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Light Duty Off-Highway Equipment

Features

- Low Profile Single Fan Rooftop Condenser
- Heavy Duty Steel Base Construction
- Lightweight Durable High Impact UV Protected Plastic Cover
- Heavy Duty Tube and Fin Condenser Coil
- Durable Permanent Magnet Motor
- (4) Mounting Studs
- Available in 12 or 24 Voltages

Warranty

- 1 year limited warranty parts and labor



KYSOR Systems
A Division of Bergstrom Inc.



Model: KC-90 Condenser

2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions

• Weight	42 lbs	19.1 kg
• Width	32 in	815 mm
• Height	8.6 in	218 mm
• Depth	27 in	685 mm



Model: KC-900 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Technical Specifications

- Performance 60,000 BTU/h
17.6 kW
- Air Flow 1,431 SCFM
2,431 SCMh
- Current Draw 26 Amps @ 14 VDC
13 Amps @ 28 VDC

Applications

- Over-the-Road Vehicles
- Industrial Vehicles
- Heavy Duty Off-Highway Equipment
- Mining Vehicles

Features

- Maximum Performance Dual Fan Skirt Mount Condenser
- Heavy Duty Steel Construction
- Heavy Duty Tube and Fin Condenser Coil
- Durable Permanent Magnet Motor
- Integrated Receiver Dryer
- Available in 12 or 24 Voltages

Warranty

- 1 year limited warranty parts and labor

Model: KC-900 Condenser



2390 Blackhawk Road • Rockford, IL 61125, USA
815-874-7821 • fax 815-874-2144 • 800-499-6849
www.kysorhvac.com



Weights and Dimensions

• Weight	115 lbs	52.2 kg
• Width	57.3 in	1,456 mm
• Height	11.4 in	290 mm
• Depth	15.3 in	389 mm

